Chief Secretary's Office, Adelaide, July 14th, 1891.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. C. Bray, Chief Secretary.

Return of Births and Deaths registered in South Australia in the Month of May, 1886-1891.

															-			
Years	1886.	1887.	1888.	1889.	1890.	Average of Five	verage 1891.								Total for 1891.			
*Population, May 1	300,717	299,456	301,401	304,703	308,827	Years.	315,173											
Births	1,000	957	1,002	938	963	972		920							4,157			
Rate per cent	.333	.320	•332	.308	•312	_					-2	92						
							All Ages.	Under 1 year.	1 and under 5.	band under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest	Uncertified Gauses of Death.	
Deaths-								27		- n	- 2 2			-			-	
All causes	374	317	374	305	444	363	385	94	43	34	67	56	62	28	1	29	27	1,561
Rate per cent	•124	.106	-124	.100	•144	_	.122	-	_	_		_	_	_	_	_	_	
Diseases—  1. Specific Febrile or Zymotic  11. Parasitic  11. Dietic  12. Constitutional  23. V. Developmental  24. VII. Violence  25. VIII. Ill-defined and not specified	55 1 3 49 40 157 28	62 1 1 53 32 124 20	69 3 6 52 37 151 29	59 1 4 40 34 119 12	96 2 7 62 52 177 19		53 2 3 55 44 167 18		15 - 4 - 20 1	14 - 7 - 12 1	10 1 1 18 - 29 8	$ \begin{array}{c c} 1 \\ 1 \\ 16 \\ \hline 31 \\ 5 \end{array} $	$ \frac{4}{3} $ $ \frac{10}{41} $ $ \frac{2}{2} $					
causes	41	24	27	36	29	_	43	35	3	_	_	1	2	1	1	_	-	

causes ..... 41 24 27 36 29 — 43 35 3 — 1 2 1 1 — 1

\*The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

Causes of Deaths registered in the Month of May, 1891.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I,			Other constitutional diseases	1	2	Accidents of childbirth Diseases of locomotive sys-	_	5
Measles	_	_	Premature birth	13		tem	_	1
Relapsing fever	_	_	Cyanosis	_	_	Diseases of integumentary		
Influenza	80	1	Congenital defects,	2	_	system	_	1
Whooping-cough		3	Old age	_	29	VII.		
Diphtheria	1	18	VI.			(Accident.)		
Simple and ill-defined fever	_	1	Apoplexy	-	11	Fracture and contusion	-	8
Enteric fever		11	Epilepsy			Gunshot wound	-	_
Simple cholera	-	2	Convulsions	6	1	Cut, stab	-	_
Diarrhœa, dysentery	7	5	Other diseases of brain and			Burn and scald	-	2
Remittent fever	_		nervous system	_	12	Poison	-	1
Venereal affections	-	-	Diseases of organs of special			Drowning	-	3
Erysipelas	_		sense		7809	Suffocation	1	1
Pyæmia and septicæmia	1	2	Diseases of circulatory sys-		Firendo	Otherwise	-	_
Puerperal fever	-	1	tem	1	25	(Homicide.)		
Other zymotic diseases	_	_	Croup	-	9	Murder and manslaughter	_	_
II.			Bronchitis	4	9	(Suicide.)		
Thrush	-	-	Pneumonia	1	32	Gunshot wound		1
Worms and other parasitical		1	Pleurisy	_	2	Cut, stab	_	1
diseases	-	2	Other diseases of respiratory			Poison	-	
III.			system	1	6	Drowning	-	1
Privation—want of breast milk	1	-	Dentition	3	1	Hanging	-	-
Alcoholism	-	2	Quinsy, sore throat	_	_	Otherwise	-	_
IV.			Enteritis	5	3	VIII.		
Rheumatic fever and rheuma-	-		Peritonitis	1	3	Dropsy	21	3
tism of heart	-	4	Diseases of liver	1	2	Debility, atrophy, inanition	34	3
Rheumatism	-	2	Other diseases of digestive			Mortification	-	
Gout	-	_	system	3	8	Tumor	-	-
Cancer, malignant disease	-	9	Diseases of lymphatic sys-			Abscess	1	-
Tabes mesenterica	4	1	tems and of ductless glands	_	1	Hæmorrhage	_	-
Tubercular meningitis	1	4	Diseases of urinary system	1	7	Sudden, cause unascertained	-	_
Phthisis	-	26	Diseases of generative sys-			Other ill-defined and not		_
Scrofula tuberculosis	-	1	tem	_	1	specified causes	1	2

## Return of Births and Deaths registered in City of Adelaide in the Month of May, 1886-91.

9																		
Years	1886.	1887.	1888.	1889.	1890.	Average of Five	The second secon									Total for		
Population, Jan. 1st	37,730	35,680	36,219	36,400	37,189	Years.	37,727								1891,			
Births	119	88	109	104	101	104					9	8				-		432
Rate per cent	-315	•247	-301	•286	•271	_	-260											
Deaths-							All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest cases.	Uncertified causes of death.	
All causes	59	69	30	74	114	79	85	14	9	4	19	15	19	5		4		354
Rate per cent	•156	•193	•221	•203	307		•225	4/3em		_					_		_	
Diseases—  1. Specific Febrile or Zymotie .  11. Parasitie	-4 -1 -8 -6 -32 -4	7 1 18 5 28 3	16 1 3 15 8 28 5	15 1 1 10 8 29 4	19 		9 1 1 15 9 41 3	 -1 -2 -5	4 - 2 - 3	2 - 1 - 1	2 - 8 - 7 2	1 1 - 3 10	 - 1 4 13 1	3 2				

## Causes of Deaths registered in the Month of May, 1891.

	1				J J)			)
	Under	One Year		Under			Under	One Year
	One	and		One	and		One	and
	Year.	Above.		Year.	Above.		Year.	Above,
I.								
Measles	-	- 1	Scrofula tuberculosis			Accidents of childbirth	_	1
Scarlet fever	-		Other constitutional diseases		_	Diseases of locomotive system	_	1
Relapsing fever	-	_				Diseases of integumentary		
Influenza			V.			system		_
Whooping-cough		1	Premature birth	2	_			
Diphtheria		4	Cyanosis	_	_	VII. (Accident.)		
Simple and ill-defined fever	_		Congenital defects			Fracture and contusion		1
Enteric fever		2	Old age		7	Gunshot wound	-	-
Simple cholera	_	_				Cut, stab	_	-
Diarrhœa, dysentery	-	2	VI.			Burn and scald	-	-
Remittent fever		_	Apoplexy		2	Poison		1
Venereal affections		_	Epilepsy	-	_	Drowning	_	_
Erysipelas		_	Convulsions	1	_	Sunocation	-	-
Pyæmia and septicæmia			Other diseases of brain and			Otherwise	_	-
Puerperal fever	-		nervous system	_	11	(Homicide.)		
Other zymotic diseases	-		Diseases of organs of special			Murder and manslaughter		
77			sense	-	all and Age	murder and manslaughter	-	
II.	-		Diseases of circulatory system	_	3	(Suicide.)		
Thrush	-	- Alberton	Croup		_	Gunshot wound	-	-
Worms and other parasitical			Bronchitis	_	2	Cut, stab	_	1
diseases		1	Pneumonia	_	5	Poison	-	-
111			Pleurisy	-	_	Drowning	_	-
Privation—want of breast milk	1		Other diseases of respiratory			Hanging	-	
Aloch dieme Want of breast milk	1	-	system		2	Otherwise		-
Alcoholism	_		Dentition		_			
IV.			Quinsy, sore throat	_		VIII.		
			Enteritis	1	_	Dropsy	-	-
Rheumatic fever and rheuma-		-	Peritonitis	_	1	Debility, atrophy, inanition	6	-
tism of heart	_	1	Diseases of liver	1	_	Mortification	_	-
Rheumatism	—	1	Other diseases of digestive			Tumor		-
Cancor mulignant disease	_	1	system	1	4	Abscess	_	-
Cancer, malignant disease  Tabes mesenterica	-,	1	Diseases of lymphatic sys-			Hæmorrhage		-
Tubercular moringities	_		tems and of ductless glands	_	1	Sudden, cause unascertained		-
Tubercular meningitis	_	2	Diseases of urinary system	1	3	Other ill-defined and not		
Phthisis	_	10	Diseases of generative system	-	_	specified causes	-	-

Return of Births and Deaths registered in each Ward of the City of Adelaids, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of May, 1891.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	37,727	6,136	6,671	7,664	8,952	3,610	4,694
Persons to an acre	10.4	10.7	10.1	13.9	12.5	7.5	7:2
Births Male Female	98 46 52	15 6 9	17 5 12	18 10 8	29 16 13	10° 5 5	9 4 5
Deaths	68 36 32	18 10 8	13 8 5	11 4 7	15 9 6	5 1 4	6 4 2
CLASSES.  I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence. VIII. Ill-defined and not specified causes	9 	1  3 4 8 1 1	1  1 2 8  1	2 	3 1 2 7 1 1		2 - 1 - 3
Percentage of Deaths to population of each Ward	•180	•293	195	·144	-168	•138	·128

Causes of Deaths registered in the Month of May, 1891.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Wear and Above,
- I.			Phthisis	_	7	Accidents of childbirth	_	1
Measles	-	_	Scrofula tuberculosis	-	_	Diseases of locomotive system	_	1
Scarlet fever	-		Other constitutional diseases.	_	_	Diseases of integumentary		
Relapsing fever	-	-				system		_
Influerza	_	-	V.					i
Whooring-cough	-	1	Premature birth	2				
Diphtheria	-	4	Cyanosis	_		VII.		
Simple and ill-defined fever	_	_	Congenital defects	_		(Accident.)		
Enteric fever	_	2	Old age	_	5	Fracture and contusion		T
Simple cholera	_	-				Gunshot wound	-	1 -
Diarrhœa, dysentery	_	2	VI.		-	Cut, stab	_	
Remittent fever	_	_	Apoplexy	_	2	Burn and scald	_	-
Venereal affections	-	_	Epilepsy	_	_	Poison	_	_
Erysipelas	j -	_	Convulsions	1		Drowning	_	
Pyæmia and septicæmia	_	_	Other diseases of brain and			Suffocation	_	_
Puerperal fever	_		nervous system	_	7	Otherwise	_	_
Other zymotic diseases	_	_	Diseases of organs of special			(Homicide.)		
			sense		_	Murder and manslaughter	_	_
II.			Diseases of circulatory system		2	(Suicide.)		
Thrush	_	_	Croup			Gunshot wound		_
Worms and other parasitical			Bronchitis	_	1	Cut, stab		1
diseases	_	_	Pneumonia	_	4	Poison	_	_
CLUCKEO FILTERIA			Pleurisy	_		Drowning	_	_
III.			Other diseases of respiratory			Hanging		_
Privation - Want of breast			system	-	2	Otherwise	1	_
milk	1	_	Dentition	_	1 _			
Alcoholism	_	_	Quinsy, sore throat	_	_	VIII.		6
221001101111111111111111111111111111111			Enteritis	1	_	Dropsy	_	
IV.			Peritonitis	_	1	Debility, atrophy, inanition	6	_
Rheumatic fever and rheu-			Diseases of liver	1		Mortification		_
matism of heart	_	1	Other diseases of digestive			Tumor	_	
Rheumatism		i	system	1	4	Abscess		
Gout	_	_	Diseases of lymphatic systems			Hæmorrhage		
Cancer, malignant disease		1	and of ductless glands	_	_	Sudden, cause unascertained.		
Tabes mesenterica	_		Diseases of urinary system	1	1	Other ill-defined and not spe-		
Tubercular meningitis	_	2	Diseases of generative system.	_	_	cified causes	_	
Tuberoular meningrus		_	Discussion of Scholantic System			Cincu Causes		R

G. H. AYLIFFE, Registrar-General of Births and Deaths.

## MAY, 1891.

The highest temperature in the shade at the Adelaide Observatory during the month was 78°·1 on the 5th; and the lowest, 37°·7, on the 10th. The mean temperature of the month was 59°·3.

The greatest range of the thermometer in one day, 26°·1, took place on the 21st, viz., from a maximum of 72°·5 to a minimum of 46°·4; the lowest range, 14°·3, on the 30th.

The mean height of the barometer was 30·147 inches; the maximum, 30·509 inches, occurred on the 1st; and the minimum, 29·735 inches, on the 16th.

Observatory, Adelaide, June 3rd, 1891.